

## NAD Electronics

### M15HD Command List (RS232 and Ethernet)

#### Notes

- Send a Carriage Return <CR> before and after each command
- In addition to using the <=> operator, each [Prefix].[Variable] can be incremented, decremented, or queried by using <+>, <->, or <?> operators.

<b>DSP.Version</b>	Operators: ?
--------------------	--------------

N/A

Description: Query DSP Version

Example: <CR>DSP.Version?<CR>

<b>Ipod.Album</b>	Operators: ?
-------------------	--------------

N/A

Description: Get the current playing album name

Example: <CR>Ipod.Album?<CR>

<b>Ipod.Artist</b>	Operators: ?
--------------------	--------------

N/A

Description: Get the current playing track artist

Example: <CR>Ipod.Artist?<CR>

<b>Ipod.AudiobookSpeed</b>	Operators: =/+/-/?
----------------------------	--------------------

Possible Values:

Normal

Fast

Slow

Description: iPod Audiobook Speed

Example: <CR>Ipod.AudiobookSpeed=Normal<CR>

<b>Ipod.AutoConnect</b>	Operators: =/+/-/?
-------------------------	--------------------

Possible Values:

No

Yes

Description: AutoConnect to iPod when iPod source is selected

Example: <CR>Ipod.AutoConnect=No<CR>

**Ipod.Enabled**

Operators: =/+/-/?

Possible Values:

No  
Yes

Description: Enable/Disable the iPod interface

Example: &lt;CR&gt;Ipod.Enabled=No&lt;CR&gt;

**Ipod.MenuTimeout**

Operators: =/+/-/?

Possible Values:

Range 0 - 60 Step 5

Description: Timeout before returning to iPod "Now Playing" screen

Example: &lt;CR&gt;Ipod.MenuTimeout=0&lt;CR&gt;

**Ipod.PlayMode**

Operators: =/+/-/?

Possible Values:

FastForward  
Play  
Rewind  
Pause

Description: Set the iPod to Fast Forward

Example: &lt;CR&gt;Ipod.PlayMode=FastForward&lt;CR&gt;

**Ipod.Repeat**

Operators: =/+/-/?

Possible Values:

One  
Off  
All

Description: Set the iPod to Repeat Off, One, or All

Example: &lt;CR&gt;Ipod.Repeat=One&lt;CR&gt;

**Ipod.Shuffle**

Operators: =/+/-/?

Possible Values:

Albums  
Songs  
Off

Description: Set the iPod to Shuffle Off, Songs, or Albums. Note: must be set before selecting music.

Example: &lt;CR&gt;Ipod.Shuffle=Albums&lt;CR&gt;

**Ipod.Title**

Operators: ?

N/A

Description: Get the current playing track title

Example: &lt;CR&gt;Ipod.Title?&lt;CR&gt;

**Ipod.Track**

Operators: +/-

N/A

Description: Track Next/Previous

Example: &lt;CR&gt;Ipod.Track+&lt;CR&gt;

**Main.ADCSampleRate**

Operators: =/+/-/?

Possible Values:

48K

96K

192K

Description: Analog to Digital Sample Rate

Example: &lt;CR&gt;Main.ADCSampleRate=48K&lt;CR&gt;

**Main.Amp.Back**

Operators: =/+/-/?

Possible Values:

Zone2

Front

Zone3

Back

Zone4

Description: Set the back Amplifier output to Zone2

Example: &lt;CR&gt;Main.Amp.Back=Zone2&lt;CR&gt;

**Main.Audyssey**

Operators: =/+/-/?

Possible Values:

Flat

NAD

Audyssey

Off

Description: Set the Audyssey Curve

Example: &lt;CR&gt;Main.Audyssey=Flat&lt;CR&gt;

**Main.Audyssey.ADV**

Operators: =/+/-/?

Possible Values:

Heavy

Medium

Light

Off

Description: Audyssey Volume

Example: &lt;CR&gt;Main.Audyssey.ADV=Heavy&lt;CR&gt;

## **Main.Audyssey.DEQ**

Operators: =/+/-/?

Possible Values:

On  
Off

Description: Audyssey Dynamic EQ

Example: <CR>Main.Audyssey.DEQ=On<CR>

## **Main.Audyssey.Offset**

Operators: =/+/-/?

Possible Values:

Range 0 - 15

Description: Audyssey Dynamic EQ Offset

Example: <CR>Main.Audyssey.Offset=0<CR>

## **Main.AutoTrigger**

Operators: =/+/-/?

Possible Values:

Zone2  
All  
Zone4  
Main  
Zone3

Description: Set Trigger Input

Example: <CR>Main.AutoTrigger=Zone2<CR>

## **Main.Bass**

Operators: =/+/-/?

Possible Values:

Range -10 - 10 Step 2

Description: Set the Bass Tone Control

Example: <CR>Main.Bass=-10<CR>

## **Main.CEC.Arc**

Operators: =/+/-/?

Possible Values:

SourceSetup  
Auto  
Off

Description: Enables selection of ARC in Source Setup OSD Menu

Example: <CR>Main.CEC.Arc=SourceSetup<CR>

## **Main.CEC.Audio**

Operators: =/+/-/?

Possible Values:

On  
Off

Description: Receiver broadcasts a CEC message indicating it is an active audio system

Example: <CR>Main.CEC.Audio=On<CR>

**Main.CEC.Power**

Operators: =/+/-/?

Possible Values:

Off  
On

Description: Feature Disabled

Example: &lt;CR&gt;Main.CEC.Power=Off&lt;CR&gt;

**Main.CEC.Switch**

Operators: =/+/-/?

Possible Values:

On  
Off

Description: Allows CEC to change receiver's source

Example: &lt;CR&gt;Main.CEC.Switch=On&lt;CR&gt;

**Main.CenterDialog**

Operators: =/+/-/?

Possible Values:

Range -6 - 6 Step 2

Description: Set the CenterDialog Tone Control

Example: &lt;CR&gt;Main.CenterDialog=-6&lt;CR&gt;

**Main.Dimmer**

Operators: =/+/-/?

Possible Values:

Off  
On

Description: Front VFD Dimmer

Example: &lt;CR&gt;Main.Dimmer=Off&lt;CR&gt;

**Main.Distance.BackLeft**

Operators: =/+/-/?

Possible Values:

Range 0 - 30

Description: Set the speaker distance in Feet

Example: &lt;CR&gt;Main.Distance.BackLeft=0&lt;CR&gt;

**Main.Distance.BackRight**

Operators: =/+/-/?

Possible Values:

Range 0 - 30

Description: Set the speaker distance in Feet

Example: &lt;CR&gt;Main.Distance.BackRight=0&lt;CR&gt;

**Main.Distance.Center**

Operators: =/+/-/?

Possible Values:

Range 0 - 30

Description: Set the speaker distance in Feet

Example: &lt;CR&gt;Main.Distance.Center=0&lt;CR&gt;

**Main.Distance.Left**

Operators: =/+/-/?

Possible Values:

Range 0 - 30

Description: Set the speaker distance in Feet

Example: &lt;CR&gt;Main.Distance.Left=0&lt;CR&gt;

**Main.Distance.Right**

Operators: =/+/-/?

Possible Values:

Range 0 - 30

Description: Set the speaker distance in Feet

Example: &lt;CR&gt;Main.Distance.Right=0&lt;CR&gt;

**Main.Distance.Sub**

Operators: =/+/-/?

Possible Values:

Range 0 - 30

Description: Set the speaker distance in Feet

Example: &lt;CR&gt;Main.Distance.Sub=0&lt;CR&gt;

**Main.Distance.SurroundLeft**

Operators: =/+/-/?

Possible Values:

Range 0 - 30

Description: Set the speaker distance in Feet

Example: &lt;CR&gt;Main.Distance.SurroundLeft=0&lt;CR&gt;

**Main.Distance.SurroundRight**

Operators: =/+/-/?

Possible Values:

Range 0 - 30

Description: Set the speaker distance in Feet

Example: &lt;CR&gt;Main.Distance.SurroundRight=0&lt;CR&gt;

**Main.Distance.UOM**

Operators: =/+/-/?

Possible Values:

Meters

Feet

Description: Set the Unit of Measurement

Example: &lt;CR&gt;Main.Distance.UOM=Meters&lt;CR&gt;

**Main.Dolby.CenterWidth**

Operators: =/+/-/?

Possible Values:

Range 0 - 7

Description: Dolby Center Width

Example: &lt;CR&gt;Main.Dolby.CenterWidth=0&lt;CR&gt;

## **Main.Dolby.Dimension**

Operators: =/+/-/?

Possible Values:

Range -7 - 7

Description: Dolby Dimension

Example: <CR>Main.Dolby.Dimension=-7<CR>

## **Main.Dolby.DRC**

Operators: =/+/-/?

Possible Values:

Range 25 - 100 Step 25

Description: Dolby Dynamic Range Control (100% is maximum dynamic range)

Example: <CR>Main.Dolby.DRC=25<CR>

## **Main.Dolby.Panorama**

Operators: =/+/-/?

Possible Values:

Off

On

Description: Set Dolby Panorama

Example: <CR>Main.Dolby.Panorama=Off<CR>

## **Main.DTS.CenterGain**

Operators: =/+/-/?

Possible Values:

0.5

0

0.1

0.2

0.3

0.4

Description: Set DTS Center Gain

Example: <CR>Main.DTS.CenterGain=0.5<CR>

## **Main.DTS.DRC**

Operators: =/+/-/?

Possible Values:

Range 25 - 100 Step 25

Description: Set DTS Dynamic Range Control

Example: <CR>Main.DTS.DRC=25<CR>

## **Main.EnhancedBass**

Operators: =/+/-/?

Possible Values:

On

Off

Description: Set Enhanced Bass On/Off

Example: <CR>Main.EnhancedBass=On<CR>

**Main.EnhancedStereo.Back**

Operators: =/+/-/?

Possible Values:

Off  
On

Description: Set Enhanced Stereo Speakers

Example: &lt;CR&gt;Main.EnhancedStereo.Back=Off&lt;CR&gt;

**Main.EnhancedStereo.Center**

Operators: =/+/-/?

Possible Values:

Off  
On

Description: Set Enhanced Stereo Speakers

Example: &lt;CR&gt;Main.EnhancedStereo.Center=Off&lt;CR&gt;

**Main.EnhancedStereo.Front**

Operators: =/+/-/?

Possible Values:

On  
Off

Description: Set Enhanced Stereo Speakers

Example: &lt;CR&gt;Main.EnhancedStereo.Front=On&lt;CR&gt;

**Main.EnhancedStereo.Surround**

Operators: =/+/-/?

Possible Values:

On  
Off

Description: Set Enhanced Stereo Speakers

Example: &lt;CR&gt;Main.EnhancedStereo.Surround=On&lt;CR&gt;

**Main.IR**

Operators: =

Possible Values:

&lt;VALUE&gt;

Description: Send any IR command through RS232

Example: &lt;CR&gt;Main.IR=&lt;VALUE&gt;&lt;CR&gt;

**Main.IR.Channel**

Operators: =/+/-/?

Possible Values:

Range 0 - 1

Description: Set the Main IR Channel (allows for two NAD's to be controlled seperately)

Example: &lt;CR&gt;Main.IR.Channel=0&lt;CR&gt;



<b>Main.IR1</b>	Operators: =
-----------------	--------------

Possible Values:

<VALUE>

Description: String showing the HEX value of a supported IR command (0x877C customer code)

Example: <CR>Main.IR1=<VALUE><CR>

<b>Main.IR2</b>	Operators: =
-----------------	--------------

Possible Values:

<VALUE>

Description: String showing the HEX value of a supported IR command (0x860F customer code)

Example: <CR>Main.IR2=<VALUE><CR>

<b>Main.Level.BackLeft</b>	Operators: =/+/-/?
----------------------------	--------------------

Possible Values:

Range -12 - 12

Description: Set Speaker Level

Example: <CR>Main.Level.BackLeft=-12<CR>

<b>Main.Level.BackRight</b>	Operators: =/+/-/?
-----------------------------	--------------------

Possible Values:

Range -12 - 12

Description: Set Speaker Level

Example: <CR>Main.Level.BackRight=-12<CR>

<b>Main.Level.Center</b>	Operators: =/+/-/?
--------------------------	--------------------

Possible Values:

Range -12 - 12

Description: Set Speaker Level

Example: <CR>Main.Level.Center=-12<CR>

<b>Main.Level.Left</b>	Operators: =/+/-/?
------------------------	--------------------

Possible Values:

Range -12 - 12

Description: Set Speaker Level

Example: <CR>Main.Level.Left=-12<CR>

<b>Main.Level.Right</b>	Operators: =/+/-/?
-------------------------	--------------------

Possible Values:

Range -12 - 12

Description: Set Speaker Level

Example: <CR>Main.Level.Right=-12<CR>

**Main.Level.Sub**

Operators: =/+/-/?

Possible Values:

Range -12 - 12

Description: Set Speaker Level

Example: &lt;CR&gt;Main.Level.Sub=-12&lt;CR&gt;

**Main.Level.SurroundLeft**

Operators: =/+/-/?

Possible Values:

Range -12 - 12

Description: Set Speaker Level

Example: &lt;CR&gt;Main.Level.SurroundLeft=-12&lt;CR&gt;

**Main.Level.SurroundRight**

Operators: =/+/-/?

Possible Values:

Range -12 - 12

Description: Set Speaker Level

Example: &lt;CR&gt;Main.Level.SurroundRight=-12&lt;CR&gt;

**Main.LipSyncDelay**

Operators: =/+/-/?

Possible Values:

Range 0 - 120

Description: Set Lip Sync Delay

Example: &lt;CR&gt;Main.LipSyncDelay=0&lt;CR&gt;

**Main.ListeningMode**

Operators: =/+/-/?

Possible Values:

None  
NEO6Music  
EnhancedStereo  
AnalogBypass  
SurroundEX  
NEO6Cinema  
StereoDownmix  
EARS  
PLIIMovie  
ProLogic  
PLIIMusic

Description: Set Active Listening Mode

Example: &lt;CR&gt;Main.ListeningMode=None&lt;CR&gt;

## Main.ListeningMode.Analog

Operators: =/+/-/?

### Possible Values:

ProLogic  
PLIIMovie  
EnhancedStereo  
PLIIMusic  
NEO6Cinema  
None  
EARS  
NEO6Music  
AnalogBypass

Description: Set default Analog Signal Listening Mode

Example: <CR>Main.ListeningMode.Analog=ProLogic<CR>

## Main.ListeningMode.Digital

Operators: =/+/-/?

### Possible Values:

NEO6Music  
NEO6Cinema  
EARS  
PLIIMusic  
None  
PLIIMovie  
EnhancedStereo  
StereoDownmix  
ProLogic

Description: Set default Digital Signal Listening Mode

Example: <CR>Main.ListeningMode.Digital=NEO6Music<CR>

## Main.ListeningMode.DolbyDigital

Operators: =/+/-/?

### Possible Values:

None  
PLIIMovie  
StereoDownmix  
PLIIMusic  
SurroundEX

Description: Set default Dolby Digital Listening Mode

Example: <CR>Main.ListeningMode.DolbyDigital=None<CR>

## Main.ListeningMode.DolbyDigital2ch

Operators: =/+/-/?

### Possible Values:

ProLogic  
PLIIMovie  
None  
PLIIMusic

Description: Set default Dolby Digital 2 channel Listening Mode

Example: <CR>Main.ListeningMode.DolbyDigital2ch=ProLogic<CR>

**Main.ListeningMode.DTS**

Operators: =/+/-/?

## Possible Values:

None  
StereoDownmix  
NEO6Music

Description: Set default DTS Listening Mode

Example: &lt;CR&gt;Main.ListeningMode.DTS=None&lt;CR&gt;

**Main.Model**

Operators: ?

N/A

Description: Query AVR Model

Example: &lt;CR&gt;Main.Model?&lt;CR&gt;

**Main.Mute**

Operators: =/+/-/?

## Possible Values:

On  
Off

Description: Set Mute

Example: &lt;CR&gt;Main.Mute=On&lt;CR&gt;

**Main.OSD.TempDisplay**

Operators: =/+/-/?

## Possible Values:

Off  
On

Description: Set OSD Temp Display On/Off

Example: &lt;CR&gt;Main.OSD.TempDisplay=Off&lt;CR&gt;

**Main.Power**

Operators: =/+/-/?

## Possible Values:

Off  
On

Description: Turn the Main Power On/Off

Example: &lt;CR&gt;Main.Power=Off&lt;CR&gt;

**Main.Sleep**

Operators: =/+/-/?

## Possible Values:

Range 0 - 90

Description: Set Time before Sleep

Example: &lt;CR&gt;Main.Sleep=0&lt;CR&gt;

**Main.Source**

Operators: =/+/-/?

Possible Values:

Range 1 - 10

Description: Set Main Source

Example: &lt;CR&gt;Main.Source=1&lt;CR&gt;

**Main.Speaker.Back.Config1**

Operators: =/+/-/?

Possible Values:

Range 0 - 2

Description: Set Back Speakers to Off, One, or Two speakers

Example: &lt;CR&gt;Main.Speaker.Back.Config1=0&lt;CR&gt;

**Main.Speaker.Back.Config2**

Operators: =/+/-/?

Possible Values:

Large

Small

Description: Set Speaker Size

Example: &lt;CR&gt;Main.Speaker.Back.Config2=Large&lt;CR&gt;

**Main.Speaker.Back.Frequency**

Operators: =/+/-/?

Possible Values:

Range 40 - 200 Step 10

Description: Set Speaker Crossover

Example: &lt;CR&gt;Main.Speaker.Back.Frequency=40&lt;CR&gt;

**Main.Speaker.Center.Config**

Operators: =/+/-/?

Possible Values:

Off

Small

Large

Description: Set Speaker Size or Turn Speaker Off

Example: &lt;CR&gt;Main.Speaker.Center.Config=Off&lt;CR&gt;

**Main.Speaker.Center.Frequency**

Operators: =/+/-/?

Possible Values:

Range 40 - 200 Step 10

Description: Set Speaker Crossover

Example: &lt;CR&gt;Main.Speaker.Center.Frequency=40&lt;CR&gt;

**Main.Speaker.Front.Config**

Operators: =/+/-/?

Possible Values:

Small  
Large

Description: Set Speaker Size

Example: &lt;CR&gt;Main.Speaker.Front.Config=Small&lt;CR&gt;

**Main.Speaker.Front.Frequency**

Operators: =/+/-/?

Possible Values:

Range 40 - 200 Step 10

Description: Set Speaker Crossover

Example: &lt;CR&gt;Main.Speaker.Front.Frequency=40&lt;CR&gt;

**Main.Speaker.Sub**

Operators: =/+/-/?

Possible Values:

Off  
On

Description: Set Subwoofer On/Off

Example: &lt;CR&gt;Main.Speaker.Sub=Off&lt;CR&gt;

**Main.Speaker.Surround.Config**

Operators: =/+/-/?

Possible Values:

Off  
Small  
Large

Description: Set Speaker Size or Turn Speaker Off

Example: &lt;CR&gt;Main.Speaker.Surround.Config=Off&lt;CR&gt;

**Main.Speaker.Surround.Frequency**

Operators: =/+/-/?

Possible Values:

Range 40 - 200 Step 10

Description: Set Speaker Crossover

Example: &lt;CR&gt;Main.Speaker.Surround.Frequency=40&lt;CR&gt;

**Main.SpeakerA**

Operators: =/+/-/?

Possible Values:

Off  
On

Description: Set Speaker A On/Off

Example: &lt;CR&gt;Main.SpeakerA=Off&lt;CR&gt;

**Main.SpeakerB**

Operators: =/+/-/?

Possible Values:

Off  
On

Description: Set Speaker B On/Off

Example: &lt;CR&gt;Main.SpeakerB=Off&lt;CR&gt;

**Main.ToneDefeat**

Operators: =/+/-/?

Possible Values:

Off  
On

Description: Set Tone Defeat On/Off

Example: &lt;CR&gt;Main.ToneDefeat=Off&lt;CR&gt;

**Main.Treble**

Operators: =/+/-/?

Possible Values:

Range -10 - 10 Step 2

Description: Set Treble Tone Control

Example: &lt;CR&gt;Main.Treble=-10&lt;CR&gt;

**Main.Trigger1.Delay**

Operators: =/+/-/?

Possible Values:

Range 0 - 15

Description: Set Trigger 1 Delay

Example: &lt;CR&gt;Main.Trigger1.Delay=0&lt;CR&gt;

**Main.Trigger1.Out**

Operators: =/+/-/?

Possible Values:

Source  
Main  
Zone2  
Zone3  
Zone4  
Zone234

Description: Set Trigger 1

Example: &lt;CR&gt;Main.Trigger1.Out=Source&lt;CR&gt;

**Main.Trigger2.Delay**

Operators: =/+/-/?

Possible Values:

Range 0 - 15

Description: Set Trigger 2 Delay

Example: &lt;CR&gt;Main.Trigger2.Delay=0&lt;CR&gt;

**Main.Trigger2.Out**

Operators: =/+/-/?

Possible Values:

Zone2  
Zone3  
Zone4  
Zone234  
Source  
Main

Description: Set Trigger 2

Example: &lt;CR&gt;Main.Trigger2.Out=Zone2&lt;CR&gt;

**Main.Trigger3.Delay**

Operators: =/+/-/?

Possible Values:

Range 0 - 15

Description: Set Trigger 3 Delay

Example: &lt;CR&gt;Main.Trigger3.Delay=0&lt;CR&gt;

**Main.Trigger3.Out**

Operators: =/+/-/?

Possible Values:

Source  
Main  
Zone2  
Zone3  
Zone4  
Zone234

Description: Set Trigger 3

Example: &lt;CR&gt;Main.Trigger3.Out=Source&lt;CR&gt;

**Main.Trim.Center**

Operators: =/+/-/?

Possible Values:

Range -6 - 6

Description: Set Trim Level (Not saved when receiver power is cycled)

Example: &lt;CR&gt;Main.Trim.Center=-6&lt;CR&gt;

**Main.Trim.Sub**

Operators: =/+/-/?

Possible Values:

Range -6 - 6

Description: Set Trim Level (Not saved when receiver power is cycled)

Example: &lt;CR&gt;Main.Trim.Sub=-6&lt;CR&gt;

**Main.Trim.Surround**

Operators: =/+/-/?

Possible Values:

Range -6 - 6

Description: Set Trim Level (Not saved when receiver power is cycled)

Example: &lt;CR&gt;Main.Trim.Surround=-6&lt;CR&gt;



## Main.Version

Operators: ?

N/A

Description: Query Main MCU Version

Example: <CR>Main.Version?<CR>

## Main.VFD.Display

Operators: =/+/-/?

Possible Values:

Temp

On

Description: Set VFD Display Temp/On

Example: <CR>Main.VFD.Display=Temp<CR>

## Main.VFD.Line1

Operators: =/+/-/?

Possible Values:

Zone4Source

Off

MainSource

Volume

ListeningMode

AudioSourceFormat

Zone2Source

Zone3Source

Description: Set VFD Line 1 Item

Example: <CR>Main.VFD.Line1=Zone4Source<CR>

## Main.VFD.Line2

Operators: =/+/-/?

Possible Values:

MainSource

Volume

ListeningMode

AudioSourceFormat

Zone2Source

Zone3Source

Zone4Source

Off

Description: Set VFD Line 2 Item

Example: <CR>Main.VFD.Line2=MainSource<CR>

## Main.VFD.TempLine

Operators: =/+/-/?

Possible Values:

Range 1 - 2

Description: Set VFD Time Line to 1 or 2

Example: <CR>Main.VFD.TempLine=1<CR>

**Main.Video.Aspect.Mode**

Operators: =/+/-/?

Possible Values:

Zoom  
LetterBox  
Stretch

Description: Zome the video output

Example: &lt;CR&gt;Main.Video.Aspect.Mode=Zoom&lt;CR&gt;

**Main.Video.Aspect.Ratio**

Operators: =/+/-/?

Possible Values:

16:9  
4:3

Description: #Error

Example: &lt;CR&gt;Main.Video.Aspect.Ratio=16:9&lt;CR&gt;

**Main.Video.Brightness**

Operators: =/+/-/?

Possible Values:

Range 0 - 100

Description: Brightness

Example: &lt;CR&gt;Main.Video.Brightness=0&lt;CR&gt;

**Main.Video.Contrast**

Operators: =/+/-/?

Possible Values:

Range 0 - 100

Description: Contrast

Example: &lt;CR&gt;Main.Video.Contrast=0&lt;CR&gt;

**Main.Video.EdgeEnhancement.Level**

Operators: =/+/-/?

Possible Values:

Range 0 - 100

Description: Edge Enhacement

Example: &lt;CR&gt;Main.Video.EdgeEnhancement.Level=0&lt;CR&gt;

**Main.Video.EdgeEnhancement.Treshold**

Operators: =/+/-/?

Possible Values:

Range 0 - 100

Description: Edge Enhacement

Example: &lt;CR&gt;Main.Video.EdgeEnhancement.Treshold=0&lt;CR&gt;

**Main.Video.NoiseReduction**

Operators: =/+/-/?

Possible Values:

Range 0 - 50

Description: Noise Reduction

Example: &lt;CR&gt;Main.Video.NoiseReduction=0&lt;CR&gt;

**Main.Video.Rate**

Operators: =/+/-/?

Possible Values:

50  
60

Description: #Error

Example: &lt;CR&gt;Main.Video.Rate=50&lt;CR&gt;

**Main.Video.Resolution**

Operators: =/+/-/?

Possible Values:

480p  
576i  
1080p  
1080i  
720p  
480i  
576p

Description: Video Resolution

Example: &lt;CR&gt;Main.Video.Resolution=480p&lt;CR&gt;

**Main.VideoMode**

Operators: =/+/-/?

Possible Values:

PAL  
NTSC

Description: Set Main Video Mode

Example: &lt;CR&gt;Main.VideoMode=PAL&lt;CR&gt;

**Main.Volume**

Operators: =/+/-/?

Possible Values:

Range -99 - 19

Description: Set Main Volume (range depends on levels, trims, etc)

Example: &lt;CR&gt;Main.Volume=-99&lt;CR&gt;

**Preset1.Setup.Display**

Operators: =/+/-/?

Possible Values:

Yes  
No

Description: Set Preset to include Display settings

Example: &lt;CR&gt;Preset1.Setup.Display=Yes&lt;CR&gt;

**Preset1.Setup.DSPOptions**

Operators: =/+/-/?

Possible Values:

Yes  
No

Description: Set Preset to include DSP Options

Example: &lt;CR&gt;Preset1.Setup.DSPOptions=Yes&lt;CR&gt;

**Preset1.Setup.ListeningMode**

Operators: =/+/-/?

Possible Values:

Yes  
No

Description: Set Preset to include Listening Mode Options

Example: &lt;CR&gt;Preset1.Setup.ListeningMode=Yes&lt;CR&gt;

**Preset1.Setup.PictureControls**

Operators: =/+/-/?

Possible Values:

Yes  
No

Description: #Error

Example: &lt;CR&gt;Preset1.Setup.PictureControls=Yes&lt;CR&gt;

**Preset1.Setup.Speaker**

Operators: =/+/-/?

Possible Values:

Yes  
No

Description: Set Preset to include Speaker Settings

Example: &lt;CR&gt;Preset1.Setup.Speaker=Yes&lt;CR&gt;

**Preset1.Setup.ToneControls**

Operators: =/+/-/?

Possible Values:

Yes  
No

Description: Set Preset to include Tone Control Settings

Example: &lt;CR&gt;Preset1.Setup.ToneControls=Yes&lt;CR&gt;

**Preset2.Setup.Display**

Operators: =/+/-/?

Possible Values:

Yes  
No

Description: Set Preset to include Display settings

Example: &lt;CR&gt;Preset2.Setup.Display=Yes&lt;CR&gt;

**Preset2.Setup.DSPOptions**

Operators: =/+/-/?

Possible Values:

Yes  
No

Description: Set Preset to include DSP Options

Example: &lt;CR&gt;Preset2.Setup.DSPOptions=Yes&lt;CR&gt;

## **Preset2.Setup.ListeningMode**

Operators: =/+/-/?

Possible Values:

Yes  
No

Description: Set Preset to include Listening Mode Options

Example: <CR>Preset2.Setup.ListeningMode=Yes<CR>

## **Preset2.Setup.PictureControls**

Operators: =/+/-/?

Possible Values:

No  
Yes

Description: #Error

Example: <CR>Preset2.Setup.PictureControls=No<CR>

## **Preset2.Setup.Speaker**

Operators: =/+/-/?

Possible Values:

Yes  
No

Description: Set Preset to include Speaker Settings

Example: <CR>Preset2.Setup.Speaker=Yes<CR>

## **Preset2.Setup.ToneControls**

Operators: =/+/-/?

Possible Values:

Yes  
No

Description: Set Preset to include Tone Control Settings

Example: <CR>Preset2.Setup.ToneControls=Yes<CR>

## **Preset3.Setup.Display**

Operators: =/+/-/?

Possible Values:

No  
Yes

Description: Set Preset to not include Display settings

Example: <CR>Preset3.Setup.Display=No<CR>

## **Preset3.Setup.DSPOptions**

Operators: =/+/-/?

Possible Values:

No  
Yes

Description: Set Preset to not include DSP Options

Example: <CR>Preset3.Setup.DSPOptions=No<CR>

### **Preset3.Setup.ListeningMode**

Operators: =/+/-/?

Possible Values:

No  
Yes

Description: Set Preset to not include Listening Mode Options

Example: <CR>Preset3.Setup.ListeningMode=No<CR>

### **Preset3.Setup.PictureControls**

Operators: =/+/-/?

Possible Values:

No  
Yes

Description: #Error

Example: <CR>Preset3.Setup.PictureControls=No<CR>

### **Preset3.Setup.Speaker**

Operators: =/+/-/?

Possible Values:

Yes  
No

Description: Set Preset to include Speaker Settings

Example: <CR>Preset3.Setup.Speaker=Yes<CR>

### **Preset3.Setup.ToneControls**

Operators: =/+/-/?

Possible Values:

Yes  
No

Description: Set Preset to include Tone Control Settings

Example: <CR>Preset3.Setup.ToneControls=Yes<CR>

### **Preset4.Setup.Display**

Operators: =/+/-/?

Possible Values:

No  
Yes

Description: Set Preset to not include Display settings

Example: <CR>Preset4.Setup.Display=No<CR>

### **Preset4.Setup.DSPOptions**

Operators: =/+/-/?

Possible Values:

No  
Yes

Description: Set Preset to not include DSP Options

Example: <CR>Preset4.Setup.DSPOptions=No<CR>

**Preset4.Setup.ListeningMode**

Operators: =/+/-/?

Possible Values:

No  
Yes

Description: Set Preset to not include Listening Mode Options

Example: &lt;CR&gt;Preset4.Setup.ListeningMode=No&lt;CR&gt;

**Preset4.Setup.PictureControls**

Operators: =/+/-/?

Possible Values:

Yes  
No

Description: #Error

Example: &lt;CR&gt;Preset4.Setup.PictureControls=Yes&lt;CR&gt;

**Preset4.Setup.Speaker**

Operators: =/+/-/?

Possible Values:

No  
Yes

Description: Set Preset to not include Speaker Settings

Example: &lt;CR&gt;Preset4.Setup.Speaker=No&lt;CR&gt;

**Preset4.Setup.ToneControls**

Operators: =/+/-/?

Possible Values:

No  
Yes

Description: Set Preset to not include Tone Control Settings

Example: &lt;CR&gt;Preset4.Setup.ToneControls=No&lt;CR&gt;

**Preset5.Setup.Display**

Operators: =/+/-/?

Possible Values:

No  
Yes

Description: Set Preset to not include Display settings

Example: &lt;CR&gt;Preset5.Setup.Display=No&lt;CR&gt;

**Preset5.Setup.DSPOptions**

Operators: =/+/-/?

Possible Values:

Yes  
No

Description: Set Preset to include DSP Options

Example: &lt;CR&gt;Preset5.Setup.DSPOptions=Yes&lt;CR&gt;

## **Preset5.Setup.ListeningMode**

Operators: =/+/-/?

Possible Values:

Yes  
No

Description: Set Preset to include Listening Mode Options

Example: <CR>Preset5.Setup.ListeningMode=Yes<CR>

## **Preset5.Setup.PictureControls**

Operators: =/+/-/?

Possible Values:

No  
Yes

Description: #Error

Example: <CR>Preset5.Setup.PictureControls=No<CR>

## **Preset5.Setup.Speaker**

Operators: =/+/-/?

Possible Values:

Yes  
No

Description: Set Preset to include Speaker Settings

Example: <CR>Preset5.Setup.Speaker=Yes<CR>

## **Preset5.Setup.ToneControls**

Operators: =/+/-/?

Possible Values:

Yes  
No

Description: Set Preset to include Tone Control Settings

Example: <CR>Preset5.Setup.ToneControls=Yes<CR>

## **Source1.AnalogAudioFormat**

Operators: =/+/-/?

Possible Values:

7.1  
Stereo  
Off

Description: Set Analog Audio Format

Example: <CR>Source1.AnalogAudioFormat=7.1<CR>

## **Source1.AnalogAudioInput**

Operators: =/+/-/?

Possible Values:

Range 1 - 8

Description: Set Analog Audio Input

Example: <CR>Source1.AnalogAudioInput=1<CR>



**Source1.AnalogGain**

Operators: =/+/-/?

Possible Values:

Range -12 - 12 Step 3

Description: Set Analog Audio Gain

Example: &lt;CR&gt;Source1.AnalogGain=-12&lt;CR&gt;

**Source1.DigitalAudioFormat**

Operators: =/+/-/?

Possible Values:

Off

Optical

Coaxial

HDMI

ARC

Description: Set Digital Audio Format

Example: &lt;CR&gt;Source1.DigitalAudioFormat=Off&lt;CR&gt;

**Source1.DigitalAudioInput**

Operators: =/+/-/?

Possible Values:

Range 1 - 8

Description: Set Digital Audio Input

Example: &lt;CR&gt;Source1.DigitalAudioInput=1&lt;CR&gt;

**Source1.Enabled**

Operators: =/+/-/?

Possible Values:

No

Yes

Description: Set Source Enabled No/Yes

Example: &lt;CR&gt;Source1.Enabled=No&lt;CR&gt;

**Source1.Preset**

Operators: =/+/-/?

Possible Values:

Range 0 - 5

Description: Set Source Preset

Example: &lt;CR&gt;Source1.Preset=0&lt;CR&gt;

**Source1.TriggerOut**

Operators: =/+/-/?

Possible Values:

Range 0 - 7

Description: Set Source Trigger Out

Example: &lt;CR&gt;Source1.TriggerOut=0&lt;CR&gt;

**Source1.VideoFormat**

Operators: =/+/-/?

Possible Values:

Off  
HDMI  
Component  
Video  
SVideo

Description: Set Source Video Format

Example: &lt;CR&gt;Source1.VideoFormat=Off&lt;CR&gt;

**Source1.VideoInput**

Operators: =/+/-/?

Possible Values:

Range 1 - 8

Description: Set Source Video Input

Example: &lt;CR&gt;Source1.VideoInput=1&lt;CR&gt;

**Source10.AnalogAudioFormat**

Operators: =/+/-/?

Possible Values:

Stereo

Description: Set Analog Audio Format

Example: &lt;CR&gt;Source10.AnalogAudioFormat=Stereo&lt;CR&gt;

**Source10.AnalogAudioInput**

Operators: =/+/-/?

Possible Values:

Range 9 - 9 Step 0

Description: Set Analog Audio Format

Example: &lt;CR&gt;Source10.AnalogAudioInput=9&lt;CR&gt;

**Source10.AnalogGain**

Operators: =/+/-/?

Possible Values:

Range -12 - 12 Step 3

Description: Set Analog Audio Format

Example: &lt;CR&gt;Source10.AnalogGain=-12&lt;CR&gt;

**Source10.DigitalAudioFormat**

Operators: =/+/-/?

Possible Values:

HDMI  
Coaxial  
Off  
Optical  
ARC

Description: Set Digital Audio Format

Example: &lt;CR&gt;Source10.DigitalAudioFormat=HDMI&lt;CR&gt;

**Source10.DigitalAudioInput**

Operators: =/+/-/?

Possible Values:

Range 1 - 8

Description: Set Digital Audio Input

Example: &lt;CR&gt;Source10.DigitalAudioInput=1&lt;CR&gt;

**Source10.Enabled**

Operators: =/+/-/?

Possible Values:

Yes

Description: Set Enabled Yes

Example: &lt;CR&gt;Source10.Enabled=Yes&lt;CR&gt;

**Source10.Preset**

Operators: =/+/-/?

Possible Values:

Range 0 - 5

Description: Set Source Preset

Example: &lt;CR&gt;Source10.Preset=0&lt;CR&gt;

**Source10.TriggerOut**

Operators: =/+/-/?

Possible Values:

Range 0 - 7

Description: Set Source Trigger Out

Example: &lt;CR&gt;Source10.TriggerOut=0&lt;CR&gt;

**Source10.VideoFormat**

Operators: =/+/-/?

Possible Values:

Component

HDMI

SVideo

Video

Off

Description: Set Video Format

Example: &lt;CR&gt;Source10.VideoFormat=Component&lt;CR&gt;

**Source10.VideoInput**

Operators: =/+/-/?

Possible Values:

Range 1 - 8

Description: Set Video Input

Example: &lt;CR&gt;Source10.VideoInput=1&lt;CR&gt;

**Source2.AnalogAudioFormat**

Operators: =/+/-/?

Possible Values:

Off  
Stereo  
7.1

Description: Set Analog Audio Format

Example: `<CR>Source2.AnalogAudioFormat=Off<CR>`**Source2.AnalogAudioInput**

Operators: =/+/-/?

Possible Values:

Range 1 - 8

Description: Set Analog Audio Input

Example: `<CR>Source2.AnalogAudioInput=1<CR>`**Source2.AnalogGain**

Operators: =/+/-/?

Possible Values:

Range -12 - 12 Step 3

Description: Set Analog Audio Gain

Example: `<CR>Source2.AnalogGain=-12<CR>`**Source2.DigitalAudioFormat**

Operators: =/+/-/?

Possible Values:

HDMI  
Coaxial  
ARC  
Off  
Optical

Description: Set Digital Audio Format

Example: `<CR>Source2.DigitalAudioFormat=HDMI<CR>`**Source2.DigitalAudioInput**

Operators: =/+/-/?

Possible Values:

Range 1 - 8

Description: Set Digital Audio Input

Example: `<CR>Source2.DigitalAudioInput=1<CR>`**Source2.Enabled**

Operators: =/+/-/?

Possible Values:

No  
Yes

Description: Set Source Enabled No/Yes

Example: `<CR>Source2.Enabled=No<CR>`

## Source2.Preset

Operators: =/+/-/?

Possible Values:

Range 0 - 5

Description: Set Source Preset

Example: <CR>Source2.Preset=0<CR>

## Source2.TriggerOut

Operators: =/+/-/?

Possible Values:

Range 0 - 7

Description: Set Source Trigger Out

Example: <CR>Source2.TriggerOut=0<CR>

## Source2.VideoFormat

Operators: =/+/-/?

Possible Values:

Off

Video

SVideo

Component

HDMI

Description: Set Source Video Format

Example: <CR>Source2.VideoFormat=Off<CR>

## Source2.VideoInput

Operators: =/+/-/?

Possible Values:

Range 1 - 8

Description: Set Source Video Input

Example: <CR>Source2.VideoInput=1<CR>

## Source3.AnalogAudioFormat

Operators: =/+/-/?

Possible Values:

Off

Stereo

7.1

Description: Set Analog Audio Format

Example: <CR>Source3.AnalogAudioFormat=Off<CR>

## Source3.AnalogAudioInput

Operators: =/+/-/?

Possible Values:

Range 1 - 8

Description: Set Analog Audio Input

Example: <CR>Source3.AnalogAudioInput=1<CR>

**Source3.AnalogGain**

Operators: =/+/-/?

Possible Values:

Range -12 - 12 Step 3

Description: Set Analog Audio Gain

Example: &lt;CR&gt;Source3.AnalogGain=-12&lt;CR&gt;

**Source3.DigitalAudioFormat**

Operators: =/+/-/?

Possible Values:

Off

Optical

Coaxial

HDMI

ARC

Description: Set Digital Audio Format

Example: &lt;CR&gt;Source3.DigitalAudioFormat=Off&lt;CR&gt;

**Source3.DigitalAudioInput**

Operators: =/+/-/?

Possible Values:

Range 1 - 8

Description: Set Digital Audio Input

Example: &lt;CR&gt;Source3.DigitalAudioInput=1&lt;CR&gt;

**Source3.Enabled**

Operators: =/+/-/?

Possible Values:

No

Yes

Description: Set Source Enabled No/Yes

Example: &lt;CR&gt;Source3.Enabled=No&lt;CR&gt;

**Source3.Preset**

Operators: =/+/-/?

Possible Values:

Range 0 - 5

Description: Set Source Preset

Example: &lt;CR&gt;Source3.Preset=0&lt;CR&gt;

**Source3.TriggerOut**

Operators: =/+/-/?

Possible Values:

Range 0 - 7

Description: Set Source Trigger Out

Example: &lt;CR&gt;Source3.TriggerOut=0&lt;CR&gt;

**Source3.VideoFormat**

Operators: =/+/-/?

## Possible Values:

Video  
HDMI  
SVideo  
Off  
Component

Description: Set Source Video Format

Example: &lt;CR&gt;Source3.VideoFormat=Video&lt;CR&gt;

**Source3.VideoInput**

Operators: =/+/-/?

## Possible Values:

Range 1 - 8

Description: Set Source Video Input

Example: &lt;CR&gt;Source3.VideoInput=1&lt;CR&gt;

**Source4.AnalogAudioFormat**

Operators: =/+/-/?

## Possible Values:

Off  
Stereo  
7.1

Description: Set Analog Audio Format

Example: &lt;CR&gt;Source4.AnalogAudioFormat=Off&lt;CR&gt;

**Source4.AnalogAudioInput**

Operators: =/+/-/?

## Possible Values:

Range 1 - 8

Description: Set Analog Audio Input

Example: &lt;CR&gt;Source4.AnalogAudioInput=1&lt;CR&gt;

**Source4.AnalogGain**

Operators: =/+/-/?

## Possible Values:

Range -12 - 12 Step 3

Description: Set Analog Audio Gain

Example: &lt;CR&gt;Source4.AnalogGain=-12&lt;CR&gt;

**Source4.DigitalAudioFormat**

Operators: =/+/-/?

## Possible Values:

ARC  
Optical  
Off  
Coaxial  
HDMI

Description: Set source's digital audio to HDMI's audio return channel (ARC)

Example: &lt;CR&gt;Source4.DigitalAudioFormat=ARC&lt;CR&gt;

**Source4.DigitalAudioInput**

Operators: =/+/-/?

Possible Values:

Range 1 - 8

Description: Set Digital Audio Input

Example: &lt;CR&gt;Source4.DigitalAudioInput=1&lt;CR&gt;

**Source4.Enabled**

Operators: =/+/-/?

Possible Values:

Yes

No

Description: Set Source Enabled No/Yes

Example: &lt;CR&gt;Source4.Enabled=Yes&lt;CR&gt;

**Source4.Preset**

Operators: =/+/-/?

Possible Values:

Range 0 - 5

Description: Set Source Preset

Example: &lt;CR&gt;Source4.Preset=0&lt;CR&gt;

**Source4.TriggerOut**

Operators: =/+/-/?

Possible Values:

Range 0 - 7

Description: Set Source Trigger Out

Example: &lt;CR&gt;Source4.TriggerOut=0&lt;CR&gt;

**Source4.VideoFormat**

Operators: =/+/-/?

Possible Values:

Off

Video

SVideo

Component

HDMI

Description: Set Source Video Format

Example: &lt;CR&gt;Source4.VideoFormat=Off&lt;CR&gt;

**Source4.VideoInput**

Operators: =/+/-/?

Possible Values:

Range 1 - 8

Description: Set Source Video Input

Example: &lt;CR&gt;Source4.VideoInput=1&lt;CR&gt;



**Source5.AnalogAudioFormat**

Operators: =/+/-/?

Possible Values:

7.1  
Off  
Stereo

Description: Set Analog Audio Format

Example: `<CR>Source5.AnalogAudioFormat=7.1<CR>`**Source5.AnalogAudioInput**

Operators: =/+/-/?

Possible Values:

Range 1 - 8

Description: Set Analog Audio Input

Example: `<CR>Source5.AnalogAudioInput=1<CR>`**Source5.AnalogGain**

Operators: =/+/-/?

Possible Values:

Range -12 - 12 Step 3

Description: Set Analog Audio Gain

Example: `<CR>Source5.AnalogGain=-12<CR>`**Source5.DigitalAudioFormat**

Operators: =/+/-/?

Possible Values:

ARC  
HDMI  
Coaxial  
Off  
Optical

Description: Set source's digital audio to HDMI's audio return channel (ARC)

Example: `<CR>Source5.DigitalAudioFormat=ARC<CR>`**Source5.DigitalAudioInput**

Operators: =/+/-/?

Possible Values:

Range 1 - 8

Description: Set Digital Audio Input

Example: `<CR>Source5.DigitalAudioInput=1<CR>`**Source5.Enabled**

Operators: =/+/-/?

Possible Values:

Yes  
No

Description: Set Source Enabled No/Yes

Example: `<CR>Source5.Enabled=Yes<CR>`

**Source5.Preset**

Operators: =/+/-/?

Possible Values:

Range 0 - 5

Description: Set Source Preset

Example: &lt;CR&gt;Source5.Preset=0&lt;CR&gt;

**Source5.TriggerOut**

Operators: =/+/-/?

Possible Values:

Range 0 - 7

Description: Set Source Trigger Out

Example: &lt;CR&gt;Source5.TriggerOut=0&lt;CR&gt;

**Source5.VideoFormat**

Operators: =/+/-/?

Possible Values:

Video

SVideo

Component

HDMI

Off

Description: Set Source Video Format

Example: &lt;CR&gt;Source5.VideoFormat=Video&lt;CR&gt;

**Source5.VideoInput**

Operators: =/+/-/?

Possible Values:

Range 1 - 8

Description: Set Source Video Input

Example: &lt;CR&gt;Source5.VideoInput=1&lt;CR&gt;

**Source6.AnalogAudioFormat**

Operators: =/+/-/?

Possible Values:

Stereo

7.1

Off

Description: Set Analog Audio Format

Example: &lt;CR&gt;Source6.AnalogAudioFormat=Stereo&lt;CR&gt;

**Source6.AnalogAudioInput**

Operators: =/+/-/?

Possible Values:

Range 1 - 8

Description: Set Analog Audio Input

Example: &lt;CR&gt;Source6.AnalogAudioInput=1&lt;CR&gt;

**Source6.AnalogGain**

Operators: =/+/-/?

Possible Values:

Range -12 - 12 Step 3

Description: Set Analog Audio Gain

Example: &lt;CR&gt;Source6.AnalogGain=-12&lt;CR&gt;

**Source6.DigitalAudioFormat**

Operators: =/+/-/?

Possible Values:

ARC

HDMI

Coaxial

Optical

Off

Description: Set source's digital audio to HDMI's audio return channel (ARC)

Example: &lt;CR&gt;Source6.DigitalAudioFormat=ARC&lt;CR&gt;

**Source6.DigitalAudioInput**

Operators: =/+/-/?

Possible Values:

Range 1 - 8

Description: Set Digital Audio Input

Example: &lt;CR&gt;Source6.DigitalAudioInput=1&lt;CR&gt;

**Source6.Enabled**

Operators: =/+/-/?

Possible Values:

No

Yes

Description: Set Source Enabled No/Yes

Example: &lt;CR&gt;Source6.Enabled=No&lt;CR&gt;

**Source6.Preset**

Operators: =/+/-/?

Possible Values:

Range 0 - 5

Description: Set Source Preset

Example: &lt;CR&gt;Source6.Preset=0&lt;CR&gt;

**Source6.TriggerOut**

Operators: =/+/-/?

Possible Values:

Range 0 - 7

Description: Set Source Trigger Out

Example: &lt;CR&gt;Source6.TriggerOut=0&lt;CR&gt;

**Source6.VideoFormat**

Operators: =/+/-/?

## Possible Values:

Video  
Component  
SVideo  
HDMI  
Off

Description: Set Source Video Format

Example: &lt;CR&gt;Source6.VideoFormat=Video&lt;CR&gt;

**Source6.VideoInput**

Operators: =/+/-/?

## Possible Values:

Range 1 - 8

Description: Set Source Video Input

Example: &lt;CR&gt;Source6.VideoInput=1&lt;CR&gt;

**Source7.AnalogAudioFormat**

Operators: =/+/-/?

## Possible Values:

7.1  
Stereo  
Off

Description: Set Analog Audio Format

Example: &lt;CR&gt;Source7.AnalogAudioFormat=7.1&lt;CR&gt;

**Source7.AnalogAudioInput**

Operators: =/+/-/?

## Possible Values:

Range 1 - 8

Description: Set Analog Audio Input

Example: &lt;CR&gt;Source7.AnalogAudioInput=1&lt;CR&gt;

**Source7.AnalogGain**

Operators: =/+/-/?

## Possible Values:

Range -12 - 12 Step 3

Description: Set Analog Audio Gain

Example: &lt;CR&gt;Source7.AnalogGain=-12&lt;CR&gt;

**Source7.DigitalAudioFormat**

Operators: =/+/-/?

## Possible Values:

Optical  
Coaxial  
HDMI  
Off  
ARC

Description: Set Digital Audio Format

Example: &lt;CR&gt;Source7.DigitalAudioFormat=Optical&lt;CR&gt;

**Source7.DigitalAudioInput**

Operators: =/+/-/?

Possible Values:

Range 1 - 8

Description: Set Digital Audio Input

Example: &lt;CR&gt;Source7.DigitalAudioInput=1&lt;CR&gt;

**Source7.Enabled**

Operators: =/+/-/?

Possible Values:

Yes

No

Description: Set Source Enabled No/Yes

Example: &lt;CR&gt;Source7.Enabled=Yes&lt;CR&gt;

**Source7.Preset**

Operators: =/+/-/?

Possible Values:

Range 0 - 5

Description: Set Source Preset

Example: &lt;CR&gt;Source7.Preset=0&lt;CR&gt;

**Source7.TriggerOut**

Operators: =/+/-/?

Possible Values:

Range 0 - 7

Description: Set Source Trigger Out

Example: &lt;CR&gt;Source7.TriggerOut=0&lt;CR&gt;

**Source7.VideoFormat**

Operators: =/+/-/?

Possible Values:

Off

HDMI

Component

Video

SVideo

Description: Set Source Video Format

Example: &lt;CR&gt;Source7.VideoFormat=Off&lt;CR&gt;

**Source7.VideoInput**

Operators: =/+/-/?

Possible Values:

Range 1 - 8

Description: Set Source Video Input

Example: &lt;CR&gt;Source7.VideoInput=1&lt;CR&gt;

**Source8.AnalogAudioFormat**

Operators: =/+/-/?

Possible Values:

Off  
Stereo  
7.1

Description: Set Analog Audio Format

Example: `<CR>Source8.AnalogAudioFormat=Off<CR>`**Source8.AnalogAudioInput**

Operators: =/+/-/?

Possible Values:

Range 1 - 8

Description: Set Analog Audio Input

Example: `<CR>Source8.AnalogAudioInput=1<CR>`**Source8.AnalogGain**

Operators: =/+/-/?

Possible Values:

Range -12 - 12 Step 3

Description: Set Analog Audio Gain

Example: `<CR>Source8.AnalogGain=-12<CR>`**Source8.DigitalAudioFormat**

Operators: =/+/-/?

Possible Values:

HDMI  
Coaxial  
Optical  
Off  
ARC

Description: Set Digital Audio Format

Example: `<CR>Source8.DigitalAudioFormat=HDMI<CR>`**Source8.DigitalAudioInput**

Operators: =/+/-/?

Possible Values:

Range 1 - 8

Description: Set Digital Audio Input

Example: `<CR>Source8.DigitalAudioInput=1<CR>`**Source8.Enabled**

Operators: =/+/-/?

Possible Values:

No  
Yes

Description: Set Source Enabled No/Yes

Example: `<CR>Source8.Enabled=No<CR>`

**Source8.Preset**

Operators: =/+/-/?

Possible Values:

Range 0 - 5

Description: Set Source Preset

Example: &lt;CR&gt;Source8.Preset=0&lt;CR&gt;

**Source8.TriggerOut**

Operators: =/+/-/?

Possible Values:

Range 0 - 7

Description: Set Source Trigger Out

Example: &lt;CR&gt;Source8.TriggerOut=0&lt;CR&gt;

**Source8.VideoFormat**

Operators: =/+/-/?

Possible Values:

Off

Video

SVideo

Component

HDMI

Description: Set Source Video Format

Example: &lt;CR&gt;Source8.VideoFormat=Off&lt;CR&gt;

**Source8.VideoInput**

Operators: =/+/-/?

Possible Values:

Range 1 - 8

Description: Set Source Video Input

Example: &lt;CR&gt;Source8.VideoInput=1&lt;CR&gt;

**Source9.AnalogAudioFormat**

Operators: =/+/-/?

Possible Values:

Off

Stereo

7.1

Description: Set Analog Audio Format

Example: &lt;CR&gt;Source9.AnalogAudioFormat=Off&lt;CR&gt;

**Source9.AnalogAudioInput**

Operators: =/+/-/?

Possible Values:

Range 1 - 8

Description: Set Analog Audio Input

Example: &lt;CR&gt;Source9.AnalogAudioInput=1&lt;CR&gt;

**Source9.AnalogGain**

Operators: =/+/-/?

Possible Values:

Range -12 - 12 Step 3

Description: Set Analog Audio Gain

Example: &lt;CR&gt;Source9.AnalogGain=-12&lt;CR&gt;

**Source9.DigitalAudioFormat**

Operators: =/+/-/?

Possible Values:

HDMI  
Coaxial  
ARC  
Optical  
Off

Description: Set Digital Audio Format

Example: &lt;CR&gt;Source9.DigitalAudioFormat=HDMI&lt;CR&gt;

**Source9.DigitalAudioInput**

Operators: =/+/-/?

Possible Values:

Range 1 - 8

Description: Set Digital Audio Input

Example: &lt;CR&gt;Source9.DigitalAudioInput=1&lt;CR&gt;

**Source9.Enabled**

Operators: =/+/-/?

Possible Values:

No  
Yes

Description: Set Source Enabled No/Yes

Example: &lt;CR&gt;Source9.Enabled=No&lt;CR&gt;

**Source9.Preset**

Operators: =/+/-/?

Possible Values:

Range 0 - 5

Description: Set Source Preset

Example: &lt;CR&gt;Source9.Preset=0&lt;CR&gt;

**Source9.TriggerOut**

Operators: =/+/-/?

Possible Values:

Range 0 - 7

Description: Set Source Trigger Out

Example: &lt;CR&gt;Source9.TriggerOut=0&lt;CR&gt;



## Source9.VideoFormat

Operators: =/+/-/?

Possible Values:

HDMI  
SVideo  
Video  
Off  
Component

Description: Set Source Video Format

Example: <CR>Source9.VideoFormat=HDMI<CR>

## Source9.VideoInput

Operators: =/+/-/?

Possible Values:

Range 1 - 8

Description: Set Source Video Input

Example: <CR>Source9.VideoInput=1<CR>

## Tuner.AMStep

Operators: =/+/-/?

Possible Values:

Range 9 - 10

Description: Set Tuner AM Step Value

Example: <CR>Tuner.AMStep=9<CR>

## Tuner.Band

Operators: =/+/-/?

Possible Values:

DAB  
XM  
AM  
FM

Description: Set Tuner Band (C Version Only)

Example: <CR>Tuner.Band=DAB<CR>

## Tuner.DigitalMode

Operators: =/+/-/?

Possible Values:

XM  
DAB

Description: Set Digital Mode (AH Version)

Example: <CR>Tuner.DigitalMode=XM<CR>

## Tuner.FM.Mute

Operators: =/+/-/?

Possible Values:

On  
Off

Description: Set Tuner FM Mute On/Off

Example: <CR>Tuner.FM.Mute=On<CR>

<b>Tuner.Preset</b>	Operators: =/+/-/?
---------------------	--------------------

Possible Values:

Range 1 - 40

Description: Set Tuner Preset

Example: `<CR>Tuner.Preset=1<CR>`

<b>UART.Version</b>	Operators: ?
---------------------	--------------

N/A

Description: Query UART Version

Example: `<CR>UART.Version?<CR>`

<b>Zone2.Mute</b>	Operators: =/+/-/?
-------------------	--------------------

Possible Values:

Off

On

Description: Set Zone Mute

Example: `<CR>Zone2.Mute=Off<CR>`

<b>Zone2.Power</b>	Operators: =/+/-/?
--------------------	--------------------

Possible Values:

On

Off

Description: Set Zone Power

Example: `<CR>Zone2.Power=On<CR>`

<b>Zone2.Source</b>	Operators: =/+/-/?
---------------------	--------------------

Possible Values:

Range 1 - 11

Description: Set Zone Source

Example: `<CR>Zone2.Source=1<CR>`

<b>Zone2.Volume</b>	Operators: =/+/-/?
---------------------	--------------------

Possible Values:

Range -99 - 19

Description: Set Zone Volume

Example: `<CR>Zone2.Volume=-99<CR>`

<b>Zone2.VolumeControl</b>	Operators: =/+/-/?
----------------------------	--------------------

Possible Values:

Fixed

Variable

Description: Set Zone Volume Control Variable/Fixed

Example: `<CR>Zone2.VolumeControl=Fixed<CR>`

**Zone2.VolumeFixed**

Operators: =/+/-/?

Possible Values:

Range -95 - 16

Description: Set Zone Fixed Volume Value

Example: &lt;CR&gt;Zone2.VolumeFixed=-95&lt;CR&gt;

**Zone3.Mode**

Operators: =/+/-/?

Possible Values:

Record

Zone

Description: Set Zone Mode Zone/Record

Example: &lt;CR&gt;Zone3.Mode=Record&lt;CR&gt;

**Zone3.Mute**

Operators: =/+/-/?

Possible Values:

Off

On

Description: Set Zone Mute

Example: &lt;CR&gt;Zone3.Mute=Off&lt;CR&gt;

**Zone3.Power**

Operators: =/+/-/?

Possible Values:

Off

On

Description: Set Zone Power

Example: &lt;CR&gt;Zone3.Power=Off&lt;CR&gt;

**Zone3.Source**

Operators: =/+/-/?

Possible Values:

Range 1 - 11

Description: Set Zone Source

Example: &lt;CR&gt;Zone3.Source=1&lt;CR&gt;

**Zone4.Mode**

Operators: =/+/-/?

Possible Values:

Record

Zone

Description: Set Zone Mode Zone/Record

Example: &lt;CR&gt;Zone4.Mode=Record&lt;CR&gt;

**Zone4.Mute**

Operators: =/+/-/?

Possible Values:

On  
Off

Description: Set Zone Mute

Example: &lt;CR&gt;Zone4.Mute=On&lt;CR&gt;

**Zone4.Power**

Operators: =/+/-/?

Possible Values:

On  
Off

Description: Set Zone Power

Example: &lt;CR&gt;Zone4.Power=On&lt;CR&gt;

**Zone4.Source**

Operators: =/+/-/?

Possible Values:

Range 1 - 11

Description: Set Zone Source

Example: &lt;CR&gt;Zone4.Source=1&lt;CR&gt;